SAFETY DATA SHEET

1. Identification

Product identifier	NYOGEL 767A	
Other means of identification		
Product Code	NYOGEL 767A	
Recommended use	Lubricating Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name Address	Nye Lubricants, Inc. 12 Howland Road Fairhaven, MA 02719 US	
Telephone	508-996-6721	
E-mail	Not available.	
Emergency phone number	CHEMTREC	1-800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements



	▼
Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Prevention	Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.
Response	If on skin: Wash with plenty of water. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container to in accordance with local regulations
Hazard(s) not otherwise classified (HNOC)	Not classified.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Hazardous	components
i lazai a o a o	oomponionito

_	Chemical name	Common name and synonyms	CAS number	%
	SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE		112945-52-5	6
	Other components below reportable levels	S		93.9999999998

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If symptoms develop, remove affected person from source of exposure into fresh air. Get immediate medical attention. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice/attention. Wash clothing separately before reuse.

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops or persists. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Get immediate medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do it without risk. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Specific methods	Move containers from fire area if you can do so without risk.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS. Observe precautions from other sections.
Methods and materials for	Soak up with inert absorbent material.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Clean contaminated surface thoroughly. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.
Environmental precautions	Do not contaminate water. Prevent entry into waterways, sewers, basements or confined areas.
7. Handling and storage	
Precautions for safe handling	Do NOT pressurize, cut, heat, or weld containers. Empty product containers may contain product residue. Avoid prolonged or repeated skin contact with this material. Do not handle or store near an open flame, heat or other sources of ignition. Avoid breathing gas/vapors/mist/fumes. Do not take internally. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Wash thoroughly after handling. Avoid release to the environment.
• •••• • •	

Conditions for safe storage, Kee including any incompatibilities mat

Keep away from heat and sources of ignition. Store in a closed container away from incompatible materials. Store in cool place. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CF Components	Туре	Value
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	0.8 mg/m3
		20 millions of particle
US. NIOSH: Pocket Guide t	o Chemical Hazards	
Components	Туре	Value
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	6 mg/m3
iological limit values	No biological exposure limits noted	for the ingredient(s).
ppropriate engineering ontrols	Use process enclosures, local exha levels below recommended exposu	nust ventilation, or other engineering controls to control airborner re limits.
dividual protection measures	, such as personal protective equip	ment
Eye/face protection	Wear eye/face protection. Wear safety glasses; chemical goggles (if splashing is possible).	
Hand protection	Wear protective gloves.	
Other	Wear suitable protective clothing. Wear nitrile, neoprene, PVC or viton gloves.	
Respiratory protection	Respiratory protection An air purifying respirator with an organic vapor cartridge may be used under certain circumstances where airborne concentrations are expected to exceed exposure limits, or if irritation or symptoms are experienced. Respiratory protection must be provided in accordanc with 29 CFR 1910.134. No personal respiratory protective equipment normally required.	
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.
eneral hygiene onsiderations	When using, do not eat, drink or sm hands thoroughly after handling.	noke. Launder contaminated clothing before reuse. Wash

9. Physical and chemical properties

Ар	реа	ran	се
----	-----	-----	----

Appearance	
Physical state	Liquid.
Form	Liquid. Semi-solid
Color	Light yellow
Odor	Slight
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 500.0 °F (> 260.0 °C) ASTM D-92
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.87 g/cm ³
Flash point class	Combustible IIIB
Shelf life	4 years

10. Stability and reactivity

Reactivity	None known.
Chemical stability	Stable.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids, alkalies and oxidizing agents.
Hazardous decomposition products	Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Aldehydes. Ketones.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Knowledge about health hazard is incomplete.
Inhalation	Knowledge about health hazard is incomplete.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Irritant effects.

Information on toxicological effects

Acute toxicity

Acute LD50: 3410.75 g/kg, Rabbit, Dermal, estimated

Product	Species	Test Results
NYOGEL 767A (CAS Mixture)		
Acute		
Dermal		
LD50	Rabbit	3410.752 g/kg, estimated
Oral		
LD50	Guinea pig	399.5452 g/kg, estimated
	Rabbit	535.9753 g/kg, estimated
	Rat	5603.3784 ml/kg, estimated
		948.5139 g/kg, estimated
Other		
LD50	Rat	51.9734 g/kg, estimated
Components	Species	Test Results
SILICA, AMORPHOUS, FUME	D, CRYSTAL-FREE (CAS 112945-52-5)	
Acute		
Oral		
LD50	Mouse	> 15000 mg/kg
	Rat	3160 mg/kg
* Estimates for product ma	y be based on additional component data not shown.	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irritation	e/eye Causes serious eye irritation.	
Respiratory sensitization	espiratory sensitization Knowledge about sensitization hazard is incomplete.	
Skin sensitization	Knowledge about sensitization hazard is incomplete.	

Germ cell mutagenicity	Knowledge about mutagenicity is incomplete.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product does not contain any carcinogens or potential carcinogens as listed by ACGIH and IARC. This product does not contain any carcinogens or potential carcinogens as listed by IARC. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC and NTP.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
SILICA, AMORPHOUS, F 112945-52-5)	FUMED, CRYSTAL-FREE (CAS 3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	Knowledge about health hazard is incomplete.	
Specific target organ toxicity - single exposure	Knowledge about health hazard is incomplete.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Knowledge about health hazard is incomplete.	
Further information	This product has no known adverse effect on human health.	
12. Ecological information		
Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment. This material is not expected to be harmful to aquatic life.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	S	
Disposal instructions	Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Contract with a disposal operator licensed by the Law on Disposal and Cleaning. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into severs/water supplies. Do not	

	contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

ΙΑΤΑ

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
--

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	
US. Massachusetts RTK - Substance List		
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5) US. New Jersey Worker and Community Right-to-Know Act		
Not regulated. US. Pennsylvania RTK - Hazardous Substances		

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	December-05-2013
Revision date	August-31-2014
Version #	04
Further information	Not available.

Disclaimer

ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication . The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Nye Lubricants, Inc. makes no warranty with respect thereto and disclaims all liability with respect thereon. The information in the sheet was written based on the best knowledge and experience currently available.